



COPY OF PAPERS
ORIGINALLY FILED

Attorney Docket No. 4072-005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s) : William B. Rottenberg et al. **Group Art Unit:** 3762
Serial No. : 10/062,138 **Examiner** : To Be Assigned
Filing Date : February 1, 2002
For : MULTI-ELECTRODE CARDIAC LEAD ADAPTER
 WITH MULTIPLEXER

Commissioner for Patents
 Customer Service Center
 Initial Patent Examining Division
 Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS


Filing Date Granted

Sir:

This communication is submitted in Response to the Notice to File Corrected Application Papers, Filing Date Granted, issued by the US Patent and Trademark office in the above-identified application on March 28, 2002 (copy is attached). The Notice required the submission of new drawings (Figures 1-11) by May 28, 2002.

Enclosed are twelve (12) sheets of new, corrected in compliance with 37 CFR 1.84, drawings (Figures 1-11). Please substitute these corrected drawings for those originally filed with the Application on February 1, 2002.

No fee is deemed necessary in connection with the filing of this Communication. If any fee



COPY OF PAPERS
ORIGINALLY FILED

11/06/03 11:03 AM Page 1 of 1

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/062,138	02/01/2002	William B. Rottenberg	4072-005

22440
GOTTLIEB RACKMAN & REISMAN PC
270 MADISON AVENUE
8TH FLOOR
NEW YORK, NY 100160601

CONFIRMATION NO. 2517
FORMALITIES LETTER



Date Mailed: 03/28/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);
 - Drawings must be reasonably free from erasures and must be free from alterations, overwritings, interlineations, folds, and copy marks.

A copy of this notice MUST be returned with the reply.

MARLA CUNTEROS

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE


Attorney Docket No. 4072-005

is required, authorization is hereby given to charge the amount of any such fee to the Deposit Account No. 07-1730, Docket No. 4072-005. A duplicate copy of this Communication is attached for that purpose.

Respectfully submitted,
GOTTLIEB, RACKMAN & REISMAN, P.C.

Dated: 05 13 2002

By: _____


Tiberiu Weisz
Attorney for Applicant
Registration No. 29,876

Mailing address:

GOTTLIEB, RACKMAN & REISMAN, P.C.
270 Madison Avenue
New York, N.Y. 10016-0601
Phone: (212) 684-3900
Facsimile: (212) 684-3999